

Contents Volume 40, 2000

Research Papers	
Organic-walled microfossils of possible dinoflagellate affinity from the Lower Permian of Sonora (northwest Mexico)	
U. Leppig and M. Montenari	1
Dinoflagellate cyst evidence of 'Heinrich-like events' off Portugal during the Marine Isotopic Stage 5	
F. Eynaud, J.L. Turon, M.F. Sánchez-Goñi and S. Gendreau	9
Anomalous occurrences of <i>Neogloboquadrina pachyderma</i> (left) in a 420-ky upwelling record from Walvis Ridge (SE Atlantic)	
E. Ufkes, J.H.F. Jansen and R.R. Schneider	23
Modern diatom assemblages in surface sediments from the Maritime Estuary and the Gulf of St. Lawrence, Québec (Canada)	
M. Lapointe	43
Biochronology and evolutionary implications of Late Neogene California margin planktonic foraminiferal events	
M. Kucera and J.P. Kennett	67
K. Takahashi and H. Okada	83
Species composition and glacial-interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years	
	105
Seasonal phytodetritus deposition and responses of bathyal benthic foraminiferal populations in Sagami Bay, Japan: preliminary results from "Project Sagami 1996–1999"	
H. Kitazato, Y. Shirayama, T. Nakatsuka, S. Fujiwara, M. Shimanaga, Y. Kato, Y. Okada, J. Kanda, A. Yamaoka,	
T. Masuzawa and K. Suzuki	135
Organic flux control on bathymetric zonation of Mediterranean benthic foraminifera	
S. De Rijk, F.J. Jorissen, E.J. Rohling and S.R. Troelstra.	151
Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea	
G. Schmiedl, F. de Bovée, R. Buscail, B. Charrière, C. Hemleben, L. Medernach and P. Picon	167
J.E. Wollenburg and W. Kuhnt.	189
Microhabitat preferences and stable carbon isotopes of endobenthic foraminifera: clue to quantitative reconstruction of oceanic new production?	
A. Mackensen, S. Schumacher, J. Radke and D.N. Schmidt.	233
Last glacial paleoproductivity patterns in the eastern equatorial Pacific: benthic foraminifera records	
J.C. Herguera	259
Faunal perspectives on paleoproductivity: Aplanktonic zones in the Red Sea	
M. Fenton, S. Geiselhart, E.J. Rohling and C. Hemleben	27
The influence of the NE winter monsoon on productivity changes in the Gulf of Aden, NW Arabian Sea, during the last 530 ka as recorded by foraminifera	
A. Almogi-Labin, G. Schmiedl, C. Hemleben, R. Siman-Tov, M. Segl and D. Meischner	295

Paleoproductivity changes in the upwelling system of Socotra (Somali Basin, NW Indian Ocean) during the last 72,000 years: evidence from biological signatures MT. Vénec-Peyré and JP. Caulet	
Comparative ecological analysis of the ostracod faunas from low- and high-polluted southwestern Spanish estuaries: a multivariate approach	321
F. Ruiz, M.L. Gonzalez-Regalado, J.I. Baceta and J.M. Muñoz	2.14
Southern Ocean Pleistocene calcareous nannofossil events: calibration with isotope and geomagnetic stratigraphies JA. Flores, R. Gersonde, F.J. Sierro and HS. Niebler.	
Subtropical Front fluctuations south of Australia (45°09'S, 146°17'E) for the last 130 ka years based on calcareous nannoplankton	
C.S. Findlay and J.A. Flores.	407
Extant calcareous nannoplankton in the Australian Sector of the Southern Ocean (austral summers 1994 and 1995)	40.
C.S. Findlay and J. Giraudeau	417
Author Index Volume 40, 2000	441
Cumulative author index volumes 38-40, 1999-2000	110

